| | Approx. 1/4" x 1/4" Leading Edge Detai | | |
|-----|--|-----------------------------------|------------------|
| | 1 1 1 | 1/16" Top L.E. sheetin | g approx 1.26" w |
| | 1 | No L.E. sheeting on the bottom | |
| | | | |
| W8 | | | 3/16" x 3/8" B |
| | | LE Sand 1/4" | square balsa to |
| W10 | W3 | W2 | W2 |
| W9 | | | |
| | W7 | 3/16" x 5/8" Trailing Edge Detail | |
| | | י | Kit had 1/16" sq |

| 3/16 Balsa Move this | Wing Spar | | | |
|----------------------|--|--|--|--|
| | Stabilizer Leading Edge | | | |
| | Stabilizer Trailing Edge | | | |
| Stabilizer Spar | | | | |
| S | S Note: these were two 3/32" pi laminated in the kit | | | |

| l Above | П | П | II |
|---------------------|---|------------------|---------------------------------|
| ride & covers the | top of the L.E. | | 11 11 11 |
| | | | |
| | | | |
| | | | |
| alsa Wing Spar | | | |
| this shape | | | |
| | W2 | W2 | NA/O |
| | | | W2 |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| uare slots cut into | o the T.E. for the 10 W2 ribs | Historical Note: | The slots did match the origina |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | Fuselage | |
| eces | L.G. Dowel Reinforcement Block 3/16" Balsa | | 8 5 |
| | | Magnet Holder | |





